

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 10/12/1940
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Glomerular Basement Membrane Antibody, IgG by Multiplex Bead Assay

ARUP test code 0051000

GBM Ab, IgG by Multiplex Bead Assay

257 AU/mL H (Ref Interval: 0-19)

INTERPRETIVE INFORMATION: GBM Ab, IgG by Multiplex Bead Assay

19 AU/mL or Less Negative
20-25 AU/mL Equivocal
26 AU/mL or Greater Positive

The presence of anti-glomerular basement membrane (GBM) antibodies by Multiplex Bead Assay may aid in the diagnosis of Goodpasture syndrome. False positive results may occur due to reactivity against other chains of type IV collagen. If Multiplex Bead Assay is negative but there is a strong suspicion for disease, renal biopsy may be indicated. A renal biopsy may also be essential in suspected Goodpasture disease with renal involvement, allowing diagnostic confirmation and assessment of renal prognosis.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
GBM Ab, IgG by Multiplex Bead Assay	19-099-111724	4/9/2019 5:13:00 AM	4/10/2019 12:37:46 PM	4/12/2019 11:27:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 19-099-111724
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 12/7/2020 11:25:07 AM
4848