

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 12/8/1962  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Glomerular Basement Membrane Antibody, IgG by Multiplex Bead Assay**

ARUP test code 0051000

GBM Ab, IgG by Multiplex Bead Assay

10 AU/mL (Ref Interval: 0-19)  
INTERPRETIVE INFORMATION: GBM Ab, IgG by Multiplex Bead Assay

19 AU/mL or Less ..... Negative  
20-25 AU/mL ..... Equivocal  
26 AU/mL or Greater ..... Positive

The presence of anti-glomerular basement membrane (GBM) antibodies by Multiplex Bead Assay may aid in the diagnosis of Goodpasture syndrome. False positive results may occur due to reactivity against other chains of type IV collagen. If Multiplex Bead Assay is negative but there is a strong suspicion for disease, renal biopsy may be indicated. A renal biopsy may also be essential in suspected Goodpasture disease with renal involvement, allowing diagnostic confirmation and assessment of renal prognosis.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
GBM Ab, IgG by Multiplex Bead Assay	23-100-111068	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at: