

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB 1/1/2018
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Ehrlichia chaffeensis Antibody, IgM by IFA
ARUP test code 0051003

Ehrlichia chaffeensis Antibody, IgM

1:256 * (Ref Interval: < 1:16)

INTERPRETIVE INFORMATION: Ehrlichia Chaffeensis IgM Ab

Less than 1:16 Negative - No significant level of Ehrlichia chaffeensis IgM antibody detected.
1:16 or greater Positive - Presence of IgM antibody to Ehrlichia chaffeensis detected, suggestive of current or recent infection.

while the presence of IgM antibodies suggest current or recent infection, low levels of IgM antibodies may occasionally persist for more than 12 months post-infection. A single IgM result should be interpreted with caution.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Ehrlichia chaffeensis Antibody, IgM	23-135-144054	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: