

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 11/30/1990
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Ehrlichia chaffeensis Antibody, IgG by IFA

ARUP test code 0051004

Ehrlichia chaffeensis Antibody, IgG

<1:64 (Ref Interval: <1:64)
INTERPRETIVE INFORMATION: Ehrlichia Chaffeensis IgG Ab

Less than 1:64 Negative: No significant level of Ehrlichia chaffeensis IgG antibody detected.
1:64-1:128 Equivocal: Questionable presence of Ehrlichia chaffeensis IgG antibody detected. Repeat testing in 10-14 days may be helpful.
1:256 or greater Positive: Presence of IgG antibody to Ehrlichia chaffeensis detected, suggestive of current or past infection.

Seroconversion between acute and convalescent sera is considered strong evidence of recent infection. The best evidence for infection is a significant change (fourfold difference in titer) on two appropriately timed specimens, where both tests are done in the same laboratory at the same time.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Ehrlichia chaffeensis Antibody, IgG	23-255-130296	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director