

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 5/11/1967
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Yersinia enterocolitica Antibodies, IgA and IgG by Immunoblot

ARUP test code 0051230

Yersinia enterocolitica, IgA Immunoblot **Negative** (Ref Interval: Negative)
INTERPRETIVE INFORMATION: Yersinia enterocolitica, IgA Immunoblot
This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Yersinia enterocolitica, IgG Immunoblot **Negative** (Ref Interval: Negative)
INTERPRETIVE INFORMATION: Yersinia enterocolitica, IgG Immunoblot
This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Yersinia enterocolitica, IgA Immunoblot	22-271-124827	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Yersinia enterocolitica, IgG Immunoblot	22-271-124827	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: