

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 3/27/1970
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Yersinia enterocolitica Antibodies, IgA, IgG, and IgM by Immunoblot

ARUP test code 0051241

Yersinia enterocolitica, IgA Immunoblot	Negative (Ref Interval: Negative) INTERPRETIVE INFORMATION: Yersinia enterocolitica, IgA Immunoblot This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.
Yersinia enterocolitica, IgG Immunoblot	Negative (Ref Interval: Negative) INTERPRETIVE INFORMATION: Yersinia enterocolitica, IgG Immunoblot This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.
Yersinia enterocolitica, IgM Immunoblot	Negative (Ref Interval: Negative) INTERPRETIVE INFORMATION: Yersinia enterocolitica, IgM Immunoblot This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:



VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Yersinia enterocolitica, IgA Immunoblot	22-277-156251	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Yersinia enterocolitica, IgG Immunoblot	22-277-156251	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Yersinia enterocolitica, IgM Immunoblot	22-277-156251	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical