

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB 12/24/1978 **Gender:** Female

Patient Identifiers: 01234567890ABCD, 012345

Visit Number (FIN): 01234567890ABCD **Collection Date:** 00/00/0000 00:00

Deamidated Gliadin Peptide (DGP) Antibodies, IgA and IgG

ARUP test code 0051358

Deamidated Gliadin Peptide (DGP) Ab, IgA

<0.72 FLU

(Ref Interval: 0.00-4.99)

INTERPRETIVE INFORMATION: Deamidated Gliadin Peptide (DGP) Ab,

IgA

A positive deamidated gliadin (DGP) IgA antibody result is associated with celiac disease but is not to be used as an initial screening test due to its low specificity and only occasional positivity in celiac disease patients who are negative for tissue transglutaminase (tTG) IgA antibody.

Deamidated Gliadin Peptide (DGP) Ab, IgG

<0.56 FLU

(Ref Interval: 0.00-4.99)

INTERPRETIVE INFORMATION: Deamidated Gliadin Peptide

(DGP) Ab, IgG

In individuals with low or deficient IgA, testing for tissue transglutaminase (tTG) and deamidated Gliadin (DGP) antibodies of the IgG isotype is performed. Positive tTG and/or DGP IgG antibody results indicate celiac disease; however, small intestinal biopsy is required to establish a diagnosis due to the lower accuracy of these markers, especially in patients without IgA deficiency.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Deamidated Gliadin Peptide (DGP) Ab, IgA	23-335-141239	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Deamidated Gliadin Peptide (DGP) Ab, IgG	23-335-141239	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

4848