

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 2/13/1955
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Epstein-Barr Virus Antibody to Viral Capsid Antigen, IgA

ARUP test code 0051626

EBV Antibody To Viral Capsid Antigen IgA

18 U H (Ref Interval: <=8)

REFERENCE INTERVAL: EBV VCA IgA, ELISA

8 U or less.....Not detected
9-11 U.....Indeterminate - Repeat testing in
10-14 days may be helpful.
12 U or greater.....Detected

This test was developed, and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
EBV Antibody To Viral Capsid Antigen IgA	24-109-146207	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: