

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 4/11/2001  
**Sex:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 01/01/2017 12:34

**Epstein-Barr Virus Antibody to Viral Capsid Antigen, IgA**

ARUP test code 0051626

EBV Antibody To Viral Capsid Antigen IgA

**30 U H (Ref Interval: <=8)**

REFERENCE INTERVAL: EBV VCA IgA, ELISA

8 U or less.....Not detected  
9-11 U.....Indeterminate - Repeat testing in  
10-14 days may be helpful.  
12 U or greater.....Detected

This test was developed, and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
EBV Antibody To Viral Capsid Antigen IgA	21-327-140423	11/23/2021 1:48:00 PM	11/27/2021 10:54:25 AM	11/30/2021 1:55:00 PM

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at:

**ARUP LABORATORIES | 800-522-2787 | aruplab.com**  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 21-327-140423  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 1 of 1 | Printed: 12/21/2022 8:55:04 AM