

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 8/12/1968
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Epstein-Barr Virus Antibody to Viral Capsid Antigen, IgG and IgA

ARUP test code 0051627

EBV Antibody to Viral Capsid Antigen IgG

178.0 U/mL H (Ref Interval: 0.0-21.9)

INTERPRETIVE INFORMATION: Epstein-Barr Virus Antibody to Viral Capsid Antigen, IgG

17.9 U/mL or less.....Not Detected
18.0-21.9 U/mL.....Indeterminate - Repeat testing in 10-14 days may be helpful.
22.0 U/mL or greater....Detected

EBV Antibody To Viral Capsid Antigen IgA

2 U (Ref Interval: <=8)

REFERENCE INTERVAL: EBV VCA IgA, ELISA

8 U or less.....Not detected
9-11 U.....Indeterminate - Repeat testing in 10-14 days may be helpful.
12 U or greater.....Detected

This test was developed, and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
EBV Antibody to Viral Capsid Antigen IgG	22-166-403321	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
EBV Antibody To Viral Capsid Antigen IgA	22-166-403321	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: