

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 6/5/1957
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Epstein-Barr Virus Antibody to Viral Capsid Antigen, IgG and IgA

ARUP test code 0051627

EBV Antibody to Viral Capsid Antigen IgG

>750.0 U/mL H (Ref Interval: 0.0-21.9)

INTERPRETIVE INFORMATION: Epstein-Barr Virus Antibody to Viral Capsid Antigen, IgG

17.9 U/mL or less.....Not Detected
18.0-21.9 U/mL.....Indeterminate - Repeat testing in 10-14 days may be helpful.
22.0 U/mL or greater....Detected

EBV Antibody To Viral Capsid Antigen IgA

2 U (Ref Interval: <=8)

REFERENCE INTERVAL: EBV VCA IgA, ELISA

8 U or less.....Not detected
9-11 U.....Indeterminate - Repeat testing in 10-14 days may be helpful.
12 U or greater.....Detected

This test was developed, and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
EBV Antibody to Viral Capsid Antigen IgG	24-178-124192	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
EBV Antibody To Viral Capsid Antigen IgA	24-178-124192	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: