

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 9/24/1991
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Herpes Simplex Virus Type 1 and/or 2 Antibodies, IgG with Reflex to Type 1 and 2 Glycoprotein G-Specific Ab, IgG

ARUP test code 0051708

HSV Type 1/2 Combined Ab, IgG

>22.40 IV

Specimen tested positive for Herpes Simplex Virus Type 1 and/or 2 Antibodies, IgG. ARUP test codes 0050292 and 0050294 will be added. Additional charges apply.

INTERPRETIVE INFORMATION: HSV 1/2 COMBINED Ab SCREEN, IgG
0.89 IV or less.....Not Detected
0.90-1.09 IV.....Indeterminate- Repeat testing
in 10-14 days may be helpful.
1.10 IV or greater.....Detected

The best evidence for current infection is a significant change on two appropriately timed specimens, where both tests are done in the same laboratory at the same time.

Herpes Simplex Virus Type 1 Glycoprotein G-Specific Antibody, IgG by CIA

ARUP test code 0050292

HSV 1 Glycoprotein G Ab, IgG

26.70 IV H (Ref Interval: <=0.89)

REFERENCE INTERVAL: HSV 1 Glycoprotein G Ab, IgG

0.89 IV or less Negative - No significant level of detectable IgG antibody to HSV type 1 glycoprotein G.
0.90 - 1.09 IV Equivocal - Questionable presence of IgG antibody to HSV type 1 glycoprotein G. Repeat testing in 10 - 14 days may be helpful.
1.10 IV or greater ... Positive - IgG antibody to HSV type 1 glycoprotein G detected, which may indicate a current or past HSV infection.

Individuals infected with HSV may not exhibit detectable IgG antibody to type-specific HSV antigens 1 and 2 in early stages of infection. Detection of antibody presence in these cases may only be possible using a non-type specific screening test.

Herpes Simplex Virus Type 2 Glycoprotein G-Specific Antibody, IgG by CIA

ARUP test code 0050294

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-225-119469
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 2 | Printed: 2/9/2021 3:20:57 PM

HSV 2 Glycoprotein G Antibody, IgG

0.12 IV (Ref Interval: <=0.89)

REFERENCE INTERVAL: HSV 2 Glycoprotein G Ab, IgG

- 0.89 IV or less Negative - No significant level of detectable IgG antibody to HSV type 2 glycoprotein G.
- 0.90 - 1.09 IV Equivocal - Questionable presence of IgG antibody to HSV type 2 glycoprotein G. Repeat testing in 10 - 14 days may be helpful.
- 1.10 IV or greater Positive - IgG antibody to HSV type 2 glycoprotein G detected, which may indicate a current or past HSV infection.

Individuals infected with HSV may not exhibit detectable IgG antibody to type-specific HSV antigens 1 and 2 in early stages of infection. Detection of antibody presence in these cases may only be possible using a non-type specific screening test.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
HSV Type 1/2 Combined Ab, IgG	20-225-119469	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HSV 1 Glycoprotein G Ab, IgG	20-225-119469	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HSV 2 Glycoprotein G Antibody, IgG	20-225-119469	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: