

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 1/27/1942  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Varicella-Zoster Virus Antibody, IgG, CSF**

ARUP test code 0054444

VZV Antibody IgG CSF

188.2 IV

The CSF specimen shows evidence of blood contamination and is, therefore, likely contaminated with serum antibodies. Antibody testing from this specimen is not recommended, as the blood may interfere, causing a false-positive result that does not represent intrathecally produced antibodies. False-negative results are also possible. It is highly recommended that serum testing for the same analyte also be performed in order to aid in interpreting the CSF test result.

INTERPRETIVE INFORMATION: VZV Ab, IgG, CSF

- 134.9 IV or Less .... Negative: No significant level of IgG antibody to varicella-zoster virus detected.
- 135.0 - 164.9 IV ..... Equivocal: Repeat testing in 10-14 days may be helpful.
- 165.0 IV or Greater .. Positive: IgG antibody to varicella-zoster virus detected, which may indicate a current or past varicella-zoster infection.

The detection of antibodies to varicella-zoster in CSF may indicate central nervous system infection. However, consideration must be given to possible contamination by blood or transfer of serum antibodies across the blood-brain barrier.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

**H=High, L=Low, \*=Abnormal, C=Critical**

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
VZV Antibody IgG CSF	23-188-132079	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

*Unless otherwise indicated, testing performed at:*

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 23-188-132079  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 2 of 2 | Printed: 7/26/2023 2:10:25 PM  
4848