

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 9/12/1967
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Soluble Liver Antigen Antibody, IgG

ARUP test code 0055235

Soluble Liver Antigen Antibody, IgG

1.6 U (Ref Interval: 0.0-24.9)

INTERPRETIVE INFORMATION: Soluble Liver Antigen Antibody, IgG

0.0 - 20.0 U Negative
20.1 - 24.9 U Equivocal
25.0 U or greater Positive

The presence of SLA antibodies has almost 100% specificity for autoimmune hepatitis, although only 12-30% have these antibodies. Thus, a negative SLA IgG test does not rule out autoimmune hepatitis.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Soluble Liver Antigen Antibody, IgG	20-015-138811	1/15/2020 12:08:00 PM	1/17/2020 8:57:44 AM	1/20/2020 1:08:00 AM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-015-138811
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 12/7/2020 11:27:27 AM
4848