

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/24/2023
Sex: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Soluble Liver Antigen Antibody, IgG

ARUP test code 0055235

Soluble Liver Antigen Antibody, IgG

99.1 U H (Ref Interval: 0.0-24.9)
REFERENCE INTERVAL: Soluble Liver Antigen Antibody, IgG
0.0 - 20.0 U Negative
20.1 - 24.9 U Equivocal
25.0 U or greater Positive

The presence of SLA antibodies has almost 100% specificity for autoimmune hepatitis, although only 12-30% have these antibodies. Thus, a negative SLA IgG test does not rule out autoimmune hepatitis.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Soluble Liver Antigen Antibody, IgG	26-006-400528	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 26-006-400528
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 1/13/2026 12:04:32 PM