

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 12/31/1969  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 01/01/2017 12:34

**Soluble Liver Antigen Antibody, IgG**

ARUP test code 0055235

Soluble Liver Antigen Antibody, IgG

**28.0 U H (Ref Interval: 0.0-24.9)**

Please disregard test patient for Interface testing only.

INTERPRETIVE INFORMATION: Soluble Liver Antigen Antibody, IgG

0.0 - 20.0 U ..... Negative  
20.1 - 24.9 U ..... Equivocal  
25.0 U or greater ..... Positive

The presence of SLA antibodies has almost 100% specificity for autoimmune hepatitis, although only 12-30% have these antibodies. Thus, a negative SLA IgG test does not rule out autoimmune hepatitis.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Soluble Liver Antigen Antibody, IgG	20-015-103727	1/15/2020 11:42:00 AM	1/15/2020 10:58:53 AM	1/15/2020 10:59:00 AM

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at:

**ARUP LABORATORIES | 800-522-2787 | aruplab.com**  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 20-015-103727  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 1 of 1 | Printed: 12/7/2020 11:27:30 AM  
4848