

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 8/8/1984  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Soluble Liver Antigen Antibody, IgG**

ARUP test code 0055235

Soluble Liver Antigen Antibody, IgG 2.4 U (Ref Interval: 0.0-24.9)

Specimen is icteric. Results may be adversely affected.

REFERENCE INTERVAL: Soluble Liver Antigen Antibody, IgG

0.0 - 20.0 U ..... Negative  
20.1 - 24.9 U ..... Equivocal  
25.0 U or greater ..... Positive

The presence of SLA antibodies has almost 100% specificity for autoimmune hepatitis, although only 12-30% have these antibodies. Thus, a negative SLA IgG test does not rule out autoimmune hepatitis.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Soluble Liver Antigen Antibody, IgG	23-361-117942	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at: