

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 2/4/1994
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Soluble Liver Antigen Antibody, IgG

ARUP test code 0055235

Soluble Liver Antigen Antibody, IgG

35.3 U H (Ref Interval: 0.0-24.9)

REFERENCE INTERVAL: Soluble Liver Antigen Antibody, IgG

0.0 - 20.0 U Negative
20.1 - 24.9 U Equivocal
25.0 U or greater Positive

The presence of SLA antibodies has almost 100% specificity for autoimmune hepatitis, although only 12-30% have these antibodies. Thus, a negative SLA IgG test does not rule out autoimmune hepatitis.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Soluble Liver Antigen Antibody, IgG	23-361-142186	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: