

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 2/22/1974
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Borrelia burgdorferi Antibodies, IgG and IgM by Immunoblot (CSF)

ARUP test code 0055260

Borrelia burgdorferi Ab, IgG, IB (CSF)

Negative (Ref Interval: Negative)

Band(s) present: NONE
(Insufficient number of bands for positive result)

INTERPRETIVE INFORMATION: Borrelia burgdorferi Ab, IgG,
IB (CSF)

For this assay, a positive result is reported when any 5 or more of the following 10 bands are present: 18, 23, 28, 30, 39, 41, 45, 58, 66, or 93 kDa. All other banding patterns are reported as negative.

The detection of antibodies to Borrelia burgdorferi in cerebrospinal fluid may indicate central nervous system infection. However, consideration must be given to possible contamination by blood or transfer of serum antibodies across the blood-brain barrier.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Borrelia burgdorferi Ab, IgM, IB (CSF)

Negative (Ref Interval: Negative)

Band(s) present: NONE
(Insufficient number of bands for positive result)

INTERPRETIVE INFORMATION: Borrelia burgdorferi Ab, IgM,
IB (CSF)

For this assay, a positive result is reported when any 2 or more of the following bands are present: 23, 39, 41 kDa. All other banding patterns are reported as negative.

The detection of antibodies to Borrelia burgdorferi in cerebrospinal fluid may indicate central nervous system infection. However, consideration must be given to possible contamination by blood or transfer of serum antibodies across the blood-brain barrier.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Borrelia burgdorferi Ab, IgG, IB (CSF)	23-145-106706	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Borrelia burgdorferi Ab, IgM, IB (CSF)	23-145-106706	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: