

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 6/23/1968  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Cysticercosis Antibody, IgG by ELISA**

ARUP test code 0055284

Cysticercosis Ab, IgG by ELISA

0.00 OD (Ref Interval: <=0.34)

INTERPRETIVE INFORMATION: Cysticercosis Ab, IgG by ELISA

- 0.34 OD or less ..... Negative - No significant level of cysticercosis IgG antibody detected.
- 0.35 - 0.50 OD ..... Equivocal - Questionable presence of cysticercosis IgG antibody detected. Repeat testing in 10-14 days may be helpful.
- 0.51 OD or greater ..... Positive - IgG antibody to cysticercosis detected, which may suggest current or past infection.

Seroconversion between acute and convalescent sera is considered strong evidence of recent infection. The best evidence for infection is a significant change on two appropriately timed specimens where both tests are done in the same laboratory at the same time.

Patients with collagen vascular diseases, hepatic cirrhosis, schistosomiasis, and other parasitic infections can produce false-positive results. There is a strong cross-reaction between cysticercosis and echinococcosis positive sera. Confirmation of positive ELISA results by the cysticercosis antibody, IgG by western Blot is recommended.

H=High, L=Low, \*=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Cysticercosis Ab, IgG by ELISA	18-284-400642	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical