

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 12/26/1991  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Allergen, Food, Blueberry**  
ARUP test code 0055426

Allergen, Food, Blueberry IgE **100.00 ku/L H (Ref Interval: <=0.34)**  
INTERPRETIVE INFORMATION: Allergen, Blueberry

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

**Allergen, Interpretation (Not Client Orderable)**  
ARUP test code 0055041

Allergen, Interp, Immunocap Score IgE **See Note**  
REFERENCE INTERVAL: Allergen, Interpretation

Less than 0.10 ku/L.....Class 0.....No significant level detected  
0.10-0.34 ku/L.....Class 0/1...Clinical relevance undetermined  
0.35-0.70 ku/L.....Class 1.....Low  
0.71-3.50 ku/L.....Class 2.....Moderate  
3.51-17.50 ku/L.....Class 3.....High  
17.51-50.00 ku/L.....Class 4.....Very High  
50.01-100.00 ku/L.....Class 5.....Very High  
Greater than 100.00ku/L..Class 6.....Very High

Allergen results of 0.10-0.34 ku/L are intended for specialist use as the clinical relevance is undetermined. Even though increasing ranges are reflective of increasing concentrations of allergen-specific IgE, these concentrations may not correlate with the degree of clinical response or skin testing results when challenged with a specific allergen. The correlation of allergy laboratory results with clinical history and in vivo reactivity to specific allergens is essential. A negative test may not rule out clinical allergy or even anaphylaxis.

H=High, L=Low, \*=Abnormal, C=Critical



VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Allergen, Food, Blueberry IgE	23-122-121461	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Interp, Immunocap Score IgE	23-122-121461	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical