

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 9/15/2000
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Allergen, Food, Tea

ARUP test code 0055451

Allergen, Food, Tea IgE <0.10 ku/L (Ref Interval: <=0.34)

INTERPRETIVE INFORMATION: Allergen, Tea

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Interpretation (Not Client Orderable)

ARUP test code 0055041

Allergen, Interp, Immunocap Score IgE

See Note

REFERENCE INTERVAL: Allergen, Interpretation

Less than 0.10 ku/L.....Class 0.....No significant level detected
0.10-0.34 ku/L.....Class 0/1...Clinical relevance undetermined
0.35-0.70 ku/L.....Class 1.....Low
0.71-3.50 ku/L.....Class 2.....Moderate
3.51-17.50 ku/L.....Class 3.....High
17.51-50.00 ku/L.....Class 4.....Very High
50.01-100.00 ku/L.....Class 5.....Very High
Greater than 100.00ku/L..Class 6.....Very High

Allergen results of 0.10-0.34 ku/L are intended for specialist use as the clinical relevance is undetermined. Even though increasing ranges are reflective of increasing concentrations of allergen-specific IgE, these concentrations may not correlate with the degree of clinical response or skin testing results when challenged with a specific allergen. The correlation of allergy laboratory results with clinical history and in vivo reactivity to specific allergens is essential. A negative test may not rule out clinical allergy or even anaphylaxis.

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Allergen, Food, Tea IgE	23-113-400099	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Interp, Immunocap Score IgE	23-113-400099	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 23-113-400099
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 4/28/2023 9:20:05 AM
4848