

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 6/27/1961
Sex: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Microsporidia Stain by Modified Trichrome

ARUP test code 0060050

Microsporidia Stain - Modified Trichrome **Negative** (Ref Interval: Negative)

A single negative result does not rule out the possibility of a microsporidia infection.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Microsporidia Stain - Modified Trichrome	22-100-103082	4/10/2022 1:31:00 PM	4/12/2022 7:54:13 PM	4/13/2022 6:30 00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 22-100-103082
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 10/25/2022 11:48:12 AM