

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 4/27/1960
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Blood Culture, Acid-Fast Bacillus (AFB)

ARUP test code 0060060

Collected: 00/00/0000 00:00 MT

Started: 00/00/0000 00:00 MT

Source: **Blood**

Body Site: **Blood**

Free Text Sources: **BLD L**

Final Report

Culture **POSITIVE** for
Mycobacterium avium-intracellulare complex
For susceptibility results
refer to accession number 23-006-100282
collected on 01/06/2023 05:09
Identification by MALDI-TOF
This test was developed and its performance characteristics
determined by ARUP Laboratories. It has not been cleared or
approved by the U.S. Food and Drug Administration.
This test was performed in a CLIA-certified laboratory and
is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Blood Culture, Acid-Fast Bacillus (AFB)	23-005-111978	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate,
SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available**

H=High, L=Low, *=Abnormal, C=Critical