

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 5/16/1965
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Human Herpesvirus 6 (HHV-6A and HHV-6B) by Quantitative PCR

ARUP test code 0060071

HHV6 by PCR Source	Plasma
HHV6 by PCR Type	Type B
HHV6 Quant by PCR (copy/mL)	20,800 cpy/mL
HHV6 Quant by PCR (log copy/mL)	4.3 log INTERPRETIVE INFORMATION: Human Herpesvirus 6 by Quantitative PCR The quantitative range of this assay is 3.0-6.0 log copies/mL (1,000-999,000 copies/mL). A negative result (less than 3.0 log copies/mL or less than 1,000 copies/mL) does not rule out the presence of PCR inhibitors in the patient specimen or HHV6 DNA in concentrations below the level of detection of the assay. Inhibition may also lead to underestimation of viral quantitation. No international standard is currently available for calibration of this assay. Caution should be taken when interpreting results generated by different assay methodologies. Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement A: aruplab.com/CS
HHV6 by PCR Interp	Detected * (Ref Interval: Not Detected)

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
HHV6 by PCR Source	19-332-104699	11/28/2019 1:23:00 PM	11/30/2019 3:02:48 AM	12/1/2019 1:46:00 PM
HHV6 by PCR Type	19-332-104699	11/28/2019 1:23:00 PM	11/30/2019 3:02:48 AM	12/1/2019 1:46:00 PM
HHV6 Quant by PCR (copy/mL)	19-332-104699	11/28/2019 1:23:00 PM	11/30/2019 3:02:48 AM	12/1/2019 1:46:00 PM
HHV6 Quant by PCR (log copy/mL)	19-332-104699	11/28/2019 1:23:00 PM	11/30/2019 3:02:48 AM	12/1/2019 1:46:00 PM
HHV6 by PCR Interp	19-332-104699	11/28/2019 1:23:00 PM	11/30/2019 3:02:48 AM	12/1/2019 1:46:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 19-332-104699
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 1/7/2021 2:33:17 PM
4848