

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 12/20/2020  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Human Herpesvirus 6 (HHV-6A and HHV-6B) by Quantitative PCR**

ARUP test code 0060071

HHV6 by PCR Source	Blood
HHV6 by PCR Type	Type A
HHV6 Quant by PCR (copy/mL)	218,000 cpy/mL
HHV6 Quant by PCR (log copy/mL)	5.3 log <p>INTERPRETIVE INFORMATION: Human Herpesvirus 6 by Quantitative PCR</p> <p>The quantitative range of this assay is 3.0-6.0 log copies/mL (1,000-999,000 copies/mL).</p> <p>A negative result (less than 3.0 log copies/mL or less than 1,000 copies/mL) does not rule out the presence of PCR inhibitors in the patient specimen or HHV6 DNA in concentrations below the level of detection of the assay. Inhibition may also lead to underestimation of viral quantitation.</p> <p>Caution should be taken when interpreting results generated by different assay methodologies.</p> <p>This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. This test was performed in a CLIA-certified laboratory and is intended for clinical purposes.</p>
HHV6 by PCR Interp	<b>Detected</b> * (Ref Interval: Not Detected)

H=High, L=Low, \*=Abnormal, C=Critical

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
HHV6 by PCR Source	23-334-402086	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HHV6 by PCR Type	23-334-402086	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HHV6 Quant by PCR (copy/mL)	23-334-402086	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HHV6 Quant by PCR (log copy/mL)	23-334-402086	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HHV6 by PCR Interp	23-334-402086	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 23-334-402086  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 2 of 2 | Printed: 12/8/2023 12:58:44 PM  
4848