

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 8/24/2015
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Bordetella pertussis Culture

ARUP test code 0060117

Collected: 00/00/0000 00:00 MT
Started: 00/00/0000 00:00 MT

Source: **Source Not Specified**

Body Site:

Free Text Sources:

Final Report

Culture **POSITIVE** for *Bordetella pertussis*
Identification based on MALDI-TOF and phenotypic methods.
This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration.
This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Bordetella pertussis Culture	22-163-101814	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate, SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: