

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB** 5/13/1953  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Urine Culture**

ARUP test code 0060131

Collected: 00/00/0000 00:00 MT  
Started: 00/00/0000 00:00 MT

Source: **Urine**

Body Site: **Urine, Foley Catheter**

Free Text Sources: **Urine - Foley Catheter Urine**

**Final Report**

>100,000 cfu/mL Escherichia coli

**Susceptibility Results**

**Organism: Escherichia coli**

<b>Ampicillin</b>	Interpretation: <b>SUSCEPTIBLE</b> MIC (ug/mL): <b>&lt;=4</b>
<b>Ampicillin/Sulbactam</b>	Interpretation: <b>SUSCEPTIBLE</b> MIC (ug/mL): <b>4/2</b>
<b>Cefazolin</b>	MIC (ug/mL): <b>&lt;=1</b>
<b>Cefepime</b>	Interpretation: <b>SUSCEPTIBLE</b> MIC (ug/mL): <b>&lt;=1</b>
<b>Ceftazidime</b>	Interpretation: <b>SUSCEPTIBLE</b> MIC (ug/mL): <b>&lt;=2</b>

**S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate, SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available**

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at:

<b>Ceftriaxone</b>	Interpretation: <b>SUSCEPTIBLE</b> MIC (ug/mL): <b>&lt;=1</b>
<b>Ciprofloxacin</b>	Interpretation: <b>SUSCEPTIBLE</b> MIC (ug/mL): <b>&lt;=0.25</b>
<b>Gentamicin</b>	Interpretation: <b>SUSCEPTIBLE</b> MIC (ug/mL): <b>&lt;=2</b>
<b>Levofloxacin</b>	Interpretation: <b>SUSCEPTIBLE</b> MIC (ug/mL): <b>&lt;=0.5</b>
<b>Meropenem</b>	Interpretation: <b>SUSCEPTIBLE</b> MIC (ug/mL): <b>&lt;=0.5</b>
<b>Nitrofurantoin</b>	Interpretation: <b>SUSCEPTIBLE</b> MIC (ug/mL): <b>&lt;=16</b>
<b>Oral Cephalosporin</b>	Interpretation: <b>SUSCEPTIBLE</b>
<b>Piperacillin/Tazobactam</b>	Interpretation: <b>SUSCEPTIBLE</b> MIC (ug/mL): <b>&lt;=2/4</b>
<b>Tobramycin</b>	Interpretation: <b>SUSCEPTIBLE</b> MIC (ug/mL): <b>&lt;=2</b>
<b>Trimethoprim/Sulfamethoxazole</b>	Interpretation: <b>SUSCEPTIBLE</b> MIC (ug/mL): <b>&lt;=0.5/9.5</b>

**Interpretive Information** Interpretation: **SEE NOTE**

The Oral Cephalosporin interpretation is only for treatment of uncomplicated UTIs due to E. coli, K. pneumoniae, or P. mirabilis, and applies to cefaclor, cefdinir, cefpodoxime, cefprozil, cefuroxime, cephalexin and loracarbef.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Urine Culture	23-174-123580	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate, SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available**

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at: