

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 3/13/1982
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Stool Culture and E. coli Shiga-like Toxin by EIA

ARUP test code 0060134

Collected: 6/18/2020 13:45 MT
Started: 6/18/2020 18:32 MT

Source: **Stool**

Body Site: **Stool**

Free Text Sources: **Stool-General Stool**

Final Report

culture negative for salmonella, shigella, campylobacter and E. coli 0157

Order Comments

Specimen Type: Stool
Specimen Source: Stool-General
Original Ord Loc: UH INFECTIOUS DISEASE

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Stool Culture and E. coli Shiga-like Toxin by EIA	20-170-116274	6/18/2020 1:45:00 PM	6/18/2020 4:51:33 PM	6/21/2020 6:09:08 PM

END OF CHART

S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate, SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-170-116274
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 2/16/2021 7:04:37 AM
4848