

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 9/30/1999
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Stool Culture and E. coli Shiga-like Toxin by EIA

ARUP test code 0060134

Collected: 6/23/2020 14:28 MT
Started: 6/23/2020 14:29 MT

Source: **Stool**

Body Site:

Free Text Sources:

Final Report

Culture **POSITIVE** for Escherichia coli 0157:H7
Culture negative for Salmonella and Shigella
Culture negative for Campylobacter species

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Stool Culture and E. coli Shiga-like Toxin by EIA	20-175-117489	6/23/2020 2:28:00 PM	6/23/2020 2:29:30 PM	6/23/2020 3:14:24 PM

END OF CHART

S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate, SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: