

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 7/4/1978
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Stool Culture and E. coli Shiga-like Toxin by EIA

ARUP test code 0060134

Collected: 3/9/2020 17:51 MT
Started: 3/10/2020 1:02 MT

Source: **Stool**

Body Site: **Stool**

Free Text Sources: **Stool-General Stool**

Final Report

Culture POSITIVE for SALMONELLA newport 6,8,[20]:e,h:1,2
Identification confirmed by
Utah Public Health Laboratory, 4431 South 2700 West
Taylorsville, UT 84119
Culture negative for Shigella species
Culture negative for Escherichia coli serotype O157
Culture negative for Campylobacter species
Identification based on MALDI-TOF and phenotypic methods.
Test developed and characteristics determined by
ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

Order Comments

Specimen Type: Stool
Specimen Source: Stool-General
Original Ord Loc: FHC FAMILY MEDICINE

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Stool Culture and E. coli Shiga-like Toxin by EIA	20-069-125205	3/9/2020 5:51:00 PM	3/9/2020 10:37:21 PM	3/29/2020 9:14:32 AM

END OF CHART

**S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate,
SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available**

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-069-125205
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 2/16/2021 7:04:50 AM
4848