

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 6/24/1991
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Stool Culture and E. coli Shiga-like Toxin by EIA

ARUP test code 0060134

Collected: 7/15/2020 12:48 MT
Started: 7/15/2020 12:48 MT

Source: **Stool**

Body Site:

Free Text Sources:

Final Report

Culture **POSITIVE** for Shigella flexneri
Culture negative for Salmonella species
Culture negative for Campylobacter species
Culture negative for Escherichia coli serotype 0157

Susceptibility Results

Organism: Shigella flexneri

Ampicillin	Interpretation: RESISTANT MIC (ug/mL): 8
Ciprofloxacin	Interpretation: SUSCEPTIBLE MIC (ug/mL): <=0.5
Trimethoprim/Sulfamethoxazole	Interpretation: SUSCEPTIBLE MIC (ug/mL): <=0.5/9.5

S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate, SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Stool Culture and E. coli Shiga-like Toxin by EIA	20-197-112489	7/15/2020 12:48:00 PM	7/15/2020 12:48:30 PM	7/15/2020 1:00:59 PM

END OF CHART

**S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate,
SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available**

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-197-112489
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 2/16/2021 7:04:54 AM
4848