

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 3/3/1976
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Stool Culture, Campylobacter

ARUP test code 0060135

Collected: 00/00/0000 00:00 MT
Started: 00/00/0000 00:00 MT

Source: **Stool**

Body Site: **Stool**

Free Text Sources:

Final Report

Culture **POSITIVE** for Campylobacter jejuni
Identification by MALDI-TOF
This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Stool Culture, Campylobacter	22-084-141503	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate, SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: