

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB 5/13/1961
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Anaerobic Organism Identification

ARUP test code 0060164

Collected: 00/00/0000 00:00 MT
Started: 00/00/0000 00:00 MT

Source: **Blood**

Body Site: **Blood**

Free Text Sources: **Blood**

Final Report

Ezakiella peruensis / Ezakiella massiliensis
Identification by DNA sequencing.
This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration.
This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Susceptibility Results

Organism: Ezakiella species

Ampicillin/Sulbactam	Interpretation: NO INTERPRETATION MIC (ug/mL): <=0.25/0.12
Beta-Lactamase	Beta-Lactamase: NEGATIVE
Meropenem	Interpretation: NO INTERPRETATION MIC (ug/mL): <=0.03

S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate, SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

Metronidazole	Interpretation: NO INTERPRETATION MIC (ug/mL): 0.5
Penicillin	Interpretation: NO INTERPRETATION MIC (ug/mL): <=0.5
Piperacillin/Tazobactam	Interpretation: NO INTERPRETATION MIC (ug/mL): <=1/4

Interpretive Information Interpretation: **SEE NOTE**
At the present time there are no CLSI guidelines for performance and/or interpretation of susceptibility testing for anaerobes other than Bacteroides fragilis group by the broth microdilution method. Unable to provide interpretation for MIC values. Susceptibility performed by non-standardized methodology. Interpret results with caution.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Anaerobic Organism Identification	21-021-400545	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate, SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: