

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 1/26/2016  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Anaerobic Organism Identification with Reflex to Susceptibility**

ARUP test code 0060198

Collected: 00/00/0000 00:00 MT  
Started: 00/00/0000 00:00 MT

Source: **Blood**

Body Site: **Blood**

Free Text Sources: **Blood**

**Final Report**

Eggerthella lenta  
Identification by MALDI-TOF  
This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration.  
This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

**Susceptibility Results**

**Organism: Eggerthella lenta**

<b>Ampicillin/Sulbactam</b>	Interpretation: <b>NO INTERPRETATION</b> MIC (ug/mL): <b>1/0.5</b>
<b>Meropenem</b>	Interpretation: <b>NO INTERPRETATION</b> MIC (ug/mL): <b>0.25</b>
<b>Metronidazole</b>	Interpretation: <b>NO INTERPRETATION</b> MIC (ug/mL): <b>0.5</b>

**S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate, SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available**

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 21-062-400898  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 1 of 2 | Printed: 3/16/2021 3:20:06 PM  
4848

**Penicillin** Interpretation: **NO INTERPRETATION**  
MIC (ug/mL): **2**

**Piperacillin/Tazobactam** Interpretation: **NO INTERPRETATION**  
MIC (ug/mL): **32/4**

**Interpretive Information** Interpretation: **SEE NOTE**  
At the present time there are no CLSI guidelines for performance and/or interpretation of susceptibility testing for anaerobes other than Bacteroides fragilis group by the broth microdilution method. Unable to provide interpretation for MIC values. Susceptibility performed by non-standardized methodology. Interpret results with caution.

**Interpretive Results**  
INTERPRETIVE INFORMATION: Anaerobe ID w/Rflx to Susceptibility  
Units = micrograms/mL

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Anaerobic Organism Identification with Reflex to Susceptibility	21-062-400898	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate, SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available**

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at: