

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 7/14/1996
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Chlamydia trachomatis by Transcription-Mediated Amplification (TMA)

ARUP test code 0060243

APTIMA Media Type Unisex Swab

Specimen Source Cervical

C. trachomatis by TMA Negative (Ref Interval: Negative)

INTERPRETIVE INFORMATION: C. trachomatis by TMA

This test is intended for medical purposes only and is not valid for the evaluation of suspected sexual abuse or for other forensic purposes. In certain contexts, culture may be required to meet applicable laws and regulations for diagnosis of C. trachomatis and N. gonorrhoeae infections. Per 2014 CDC recommendations, this test does not include confirmation of positive results by an alternative nucleic acid target.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
APTIMA Media Type	20-036-400307	2/3/2020 8:35:00 AM	2/6/2020 5:03:45 AM	2/6/2020 9:09:00 PM
Specimen Source	20-036-400307	2/3/2020 8:35:00 AM	2/6/2020 5:03:45 AM	2/6/2020 9:09:00 PM
C. trachomatis by TMA	20-036-400307	2/3/2020 8:35:00 AM	2/6/2020 5:03:45 AM	2/6/2020 9:09:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: