

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 1/5/1996
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Herpes Simplex Virus DFA with Reflex to Herpes Simplex Virus Culture

ARUP test code 0060280

HSVFAC Source	Lip	
Herpes Simplex Virus 1, DFA	Negative	(Ref Interval: Negative)
Herpes Simplex Virus 2, DFA	Negative	(Ref Interval: Negative)
The HSV DFA test has reflexed to culture to confirm negative or inadequate DFA results.		

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
HSVFAC Source	23-005-129128	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Herpes Simplex Virus 1, DFA	23-005-129128	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Herpes Simplex Virus 2, DFA	23-005-129128	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Herpes Simplex Virus Culture	23-005-129128	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate,
SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director