

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 3/13/1948  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Respiratory Viruses DFA with Reflex to Viral Culture, Respiratory**

ARUP test code 0060281

RSP Fac Source	BAL LLL	
Influenza A - DFA	Negative	(Ref Interval: Negative)
The Respiratory Viruses DFA test has reflexed to culture to confirm negative or inadequate DFA results.		
Influenza B - DFA	Negative	(Ref Interval: Negative)
Parainfluenza Type 1 - DFA	Negative	(Ref Interval: Negative)
Parainfluenza Type 2 - DFA	Negative	(Ref Interval: Negative)
Parainfluenza Type 3 - DFA	Negative	(Ref Interval: Negative)
Adenovirus - DFA	Negative	(Ref Interval: Negative)
Respiratory Syncytial Virus - DFA	Negative	(Ref Interval: Negative)
Human Metapneumovirus DFA	Negative	(Ref Interval: Negative)

**S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate, SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available**

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at:

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
RSP Fac Source	23-006-402291	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Influenza A - DFA	23-006-402291	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Influenza B - DFA	23-006-402291	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Parainfluenza Type 1 - DFA	23-006-402291	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Parainfluenza Type 2 - DFA	23-006-402291	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Parainfluenza Type 3 - DFA	23-006-402291	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Adenovirus - DFA	23-006-402291	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Respiratory Syncytial Virus - DFA	23-006-402291	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Human Metapneumovirus DFA	23-006-402291	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Viral Culture, Respiratory	23-006-402291	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate, SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available**

**H=High, L=Low, \*=Abnormal, C=Critical**

*Unless otherwise indicated, testing performed at:*

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 23-006-402291  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 2 of 2 | Printed: 1/11/2023 11:21:37 AM  
4848