

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 2/6/2022
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Varicella-Zoster Virus DFA with Reflex to Varicella-Zoster Virus Culture

ARUP test code 0060282

Varicella-Zoster Virus Fac Source vesicle

Varicella-Zoster Virus, DFA

Positive * (Ref Interval: **Negative**)

INTERPRETIVE INFORMATION: Varicella-Zoster Virus DFA Antibody

Approximately 20% of samples submitted for VZV are positive for herpes simplex virus. Testing for herpes simplex virus is NOT included in this test.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Varicella-Zoster Virus Fac Source	23-003-131800	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Varicella-Zoster Virus, DFA	23-003-131800	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: