

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/31/2000
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Respiratory Viruses DFA

ARUP test code 0060289

RSPFA Source	Nasopharyngeal		
Influenza A, DFA	Negative		(Ref Interval: Negative)
	This test should not be ordered as a stand-alone. DFA staining has only moderate sensitivity for Influenza virus A and B as compared to culture or RT-PCR. Preferred tests are Respiratory Viruses DFA with Reflex to Viral Culture (ARUP test code 0060281) or Respiratory Virus DFA with Reflex to Respiratory Virus Mini Panel by RT-PCR (ARUP test code 2002565).		
Influenza B, DFA	Negative		(Ref Interval: Negative)
Parainfluenza Type 1, DFA	Negative		(Ref Interval: Negative)
Parainfluenza Type 2, DFA	Negative		(Ref Interval: Negative)
Parainfluenza Type 3, DFA	Positive	*	(Ref Interval: Negative)
Adenovirus, DFA	Negative		(Ref Interval: Negative)
Respiratory Syncytial Virus, DFA	Negative		(Ref Interval: Negative)
Human Metapneumovirus DFA	Negative		(Ref Interval: Negative)

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
RSPFA Source	23-136-100939	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Influenza A, DFA	23-136-100939	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Influenza B, DFA	23-136-100939	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Parainfluenza Type 1, DFA	23-136-100939	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Parainfluenza Type 2, DFA	23-136-100939	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Parainfluenza Type 3, DFA	23-136-100939	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Adenovirus, DFA	23-136-100939	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Respiratory Syncytial Virus, DFA	23-136-100939	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Human Metapneumovirus DFA	23-136-100939	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 23-136-100939
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 5/16/2023 1:50:53 PM
4848