

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 5/9/1948
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Antimicrobial Susceptibility - Gram Positive Rod

ARUP test code 0060346

Collected: 00/00/0000 00:00 MT
Started: 00/00/0000 00:00 MT

Source: **Source Not Specified**

Body Site: **Peritoneum**

Free Text Sources: **See ESP**

Final Report

Corynebacterium aurimucosum
Organism identified by client

Susceptibility Results

Organism: Corynebacterium aurimucosum

| | |
|--------------------|--|
| Ceftriaxone | Interpretation: RESISTANT MIC (ug/mL): >=4 |
| Gentamicin | Interpretation: SUSCEPTIBLE MIC (ug/mL): <=2 |
| Linezolid | Interpretation: SUSCEPTIBLE MIC (ug/mL): 0.5 |
| Meropenem | Interpretation: SUSCEPTIBLE MIC (ug/mL): 0.12 |

S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate, SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

Penicillin

Interpretation: **INTERMEDIATE**

MIC (ug/mL): **0.5**

Vancomycin

Interpretation: **SUSCEPTIBLE**

MIC (ug/mL): **0.25**

Interpretive Results

INTERPRETIVE INFORMATION: Gram Positive Rod Susceptibility

Units = micrograms/mL

Susceptibility testing is performed by CLSI-approved broth microdilution method using custom-made MIC panels.

| VERIFIED/REPORTED DATES | | | | |
|--|---------------|------------------|------------------|-------------------|
| Procedure | Accession | Collected | Received | Verified/Reported |
| Antimicrobial Susceptibility - Gram Positive Rod | 20-112-400846 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |

END OF CHART

S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate, SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: