

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 11/8/1957
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Chlamydia pneumoniae by PCR

ARUP test code 0060715

Chlamydia pneumoniae Source BAL

Chlamydia pneumoniae by PCR

Not Detected

NOT DETECTED - A negative result does not rule out the presence of PCR inhibitors in the patient specimen or assay specific nucleic acid in concentrations below the level of detection by the assay.

INTERPRETIVE INFORMATION: Chlamydia pneumoniae PCR

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Chlamydia pneumoniae Source	20-115-400233	4/23/2020 6:15:00 PM	4/25/2020 8:25:19 PM	4/28/2020 12:03:00 AM
Chlamydia pneumoniae by PCR	20-115-400233	4/23/2020 6:15:00 PM	4/25/2020 8:25:19 PM	4/28/2020 12:03:00 AM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: