

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 12/7/1928  
**Sex:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 01/01/2017 12:34

**Chlamydia pneumoniae by PCR**

ARUP test code 0060715

Chlamydia pneumoniae Source	Nasopharyngeal
Chlamydia pneumoniae by PCR	<p>Not Detected</p> <p>NOT DETECTED - A negative result does not rule out the presence of PCR inhibitors in the patient specimen or assay specific nucleic acid in concentrations below the level of detection by the assay.</p> <p>INTERPRETIVE INFORMATION: Chlamydia pneumoniae PCR</p> <p>This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.</p>

Procedure	Accession	VERIFIED/REPORTED DATES		
		Collected	Received	Verified/Reported
Chlamydia pneumoniae Source	22-118-110823	4/28/2022 12:47:00 PM	4/29/2022 11:50:27 AM	5/2/2022 5:26:00 AM
Chlamydia pneumoniae by PCR	22-118-110823	4/28/2022 12:47:00 PM	4/29/2022 11:50:27 AM	5/2/2022 5:26:00 AM

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 22-118-110823  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 1 of 1 | Printed: 10/19/2022 6:43:33 AM