

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 6/25/1954
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Organism Identification by 16S rDNA Sequencing

ARUP test code 0060720

Collected: 00/00/0000 00:00 MT
Started: 00/00/0000 00:00 MT

Source: Aspirate
Body Site: Aspirate
Free Text Sources: Aspirate

Final Report

Corynebacterium tuberculostrictum
Identification by DNA sequencing.
This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration.
This test was performed in a CLIA-certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Organism Identification by 16S rDNA Sequencing	22-334-104203	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate,
SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: