

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 5/24/1953
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Acid-Fast Bacillus (AFB) Culture and AFB Stain with Reflex to Mycobacterium tuberculosis Complex Detection and Rifampin Resistance by PCR

ARUP test code 0060738

Collected: 00/00/0000 00:00 MT
Started: 00/00/0000 00:00 MT

Source: **Respiratory**

Body Site: **BAL**

Free Text Sources:

Stains/Preparations

Acid Fast Stain

Negative for Acid Fast Bacteria.
Less than 5 mL of specimen received.
A minimum of 5 mL of sputum or fluid is recommended for recovery of acid fast bacilli (AFB).
Volumes less than 5 mL are suboptimal and may compromise recovery of AFB from culture.

Final Report

Culture negative for acid fast bacilli

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Acid-Fast Bacillus (AFB) Culture and AFB Stain with Reflex to Mycobacterium tuberculosis Complex Detection and Rifampin Resistance by PCR	22-290-123683	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate, SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: