

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 5/27/1991
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Antibiotic Level, Nafcillin

ARUP test code 0060843

Antibiotic Level, Nafcillin

63 ug/mL

INTERPRETIVE INFORMATION: Antibiotic Level, Nafcillin

Normal peak serum concentration for nafcillin is 7.7 ug/mL with a 1 g PO dose, 7.6 ug/mL with a 1 g IM dose or 40 ug/mL with a 500 mg IV dose. Trough serum concentration is not well established.

For bioassay measurements, the presence of other antimicrobial agents may interfere with the assay. Other factors that may influence antimicrobial levels include inherent differences among patients and their underlying physical conditions as well as the dose and route of administration of the antimicrobial agent.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Antibiotic Level, Nafcillin	23-294-102997	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: