

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 9/8/1999
Sex: Unknown
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Blastomyces dermatitidis Identification

ARUP test code 0062224

Collected:
Started:

Source: **Respiratory**

Body Site: **Sputum**

Free Text Sources:

Final Report

Culture negative for Blastomyces dermatitidis.
Aspergillus fumigatus Group
Identification by MALDI-TOF
This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration.
This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Blastomyces dermatitidis Identification	21--32-0-109653	11/16/2021 12:53:00 PM	11/16/2021 1:16:12 PM	11/16/2021 3:38:13 PM

END OF CHART

S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate, SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: