

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 10/25/1993
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Chlamydia Antibody Panel, IgM by IFA

ARUP test code 0065105

C. pneumoniae IgM Titer	<1:20	(Ref Interval: <1:20)
C. trachomatis IgM Titer	<1:20	(Ref Interval: <1:20)
C. psittaci IgM Titer	<1:20	(Ref Interval: <1:20)

Chlamydia IgM Panel Interpretation

See Note

INTERPRETIVE INFORMATION: Chlamydia IgM Panel

The Chlamydia antibody test contains both species- and genus-specific antigens, and serological cross-reactions may be seen in both acute and convalescent samples (less than 1:128). A C. pneumoniae-specific reaction will exhibit titers twofold or greater than titers observed with C. trachomatis or C. psittaci serology. Ideally, acute and convalescent samples should be tested simultaneously at the same facility. If the sample submitted was collected during the acute-phase of illness, submit a marked convalescent sample within 25 days for paired testing. Seroconversion, a fourfold or greater rise in antibody titer between acute and convalescent sera, is considered strong evidence of recent infection.

The Chlamydia microimmunofluorescent assay utilizes C. psittaci, C. pneumoniae, and nine serotypes of C. trachomatis. It does not include the LGV strains of C. trachomatis.

See Compliance Statement A: www.aruplab.com/CS

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
C. pneumoniae IgM Titer	20-287-148769	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
C. trachomatis IgM Titer	20-287-148769	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
C. psittaci IgM Titer	20-287-148769	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Chlamydia IgM Panel Interpretation	20-287-148769	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-287-148769
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 10/20/2020 10:55:21 AM
4848