

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example** 

**DOB** 4/25/1946

**Gender:** Male

**Patient Identifiers:** 01234567890ABCD, 012345

**Visit Number (FIN):** 01234567890ABCD **Collection Date:** 00/00/0000 00:00

## Chlamydia Antibody Panel, IgG by IFA

ARUP test code 0065139

C. pneumoniae IgG Titer <1:64 (Ref Interval: <1:64)

C. trachomatis IgG Titer <1:64 (Ref Interval: <1:64)

C. psittaci IgG Titer <1:64 (Ref Interval: <1:64)

INTERPRETIVE INFORMATION: C. psittaci IgG Titer

The Chlamydia antibody test contains both species- and genus-specific antigens, and serological cross-reactions may be seen in both acute and convalescent samples (less than 1:128). A C. pneumoniae-specific reaction will exhibit titers twofold or greater than titers observed with the C. trachomatis or C. psittaci serology. Any IgG titer may indicate past exposure to that particular species. IgG titers in recently infected individuals are typically greater than or equal 1:512.

The Chlamydia microimmunofluorescent assay slides utilize C. psittaci, C. pneumoniae, and nine serotypes of C. trachomatis. The LGV strains of C. trachomatis are not included in this assay.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

H=High, L=Low, \*=Abnormal, C=Critical

4848



VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
C. pneumoniae IgG Titer	22-283-140219	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
C. trachomatis IgG Titer	22-283-140219	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
C. psittaci IgG Titer	22-283-140219	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical