

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example** 

**DOB** 7/12/1976 **Gender:** Female

**Patient Identifiers:** 01234567890ABCD, 012345

**Visit Number (FIN):** 01234567890ABCD **Collection Date:** 00/00/0000 00:00

## **Growth Hormone, o Minutes**

ARUP test code 0070081

Growth Hormone o Minutes

6.58 ng/mL

(Ref Interval: 0.05-8.00)

INTERPRETIVE INFORMATION: Growth Hormone O Minutes

For pediatric patients, very low peak growth hormone (GH) concentrations on stimulation testing are consistent with severe GH deficiency (GHD). Thresholds distinguishing normal from partial GHD have not been well established. Inadequate response to two different provocative tests is required for diagnosis of GHD." (Grimberg et al. Horm Res Paediatr 2016;86:361-397)

In adults, expected peak GH concentrations depend on the stimulation test performed as described in Endocrine Society guidelines for the evaluation and treatment of adults with GHD (Yuen KCJ et al. Endocr Pract. 2019;25(11):1191-1232).

For suppression testing, healthy subjects have GH concentrations of less than 1 ng/mL within 2 hours of ingestion of a 75 or 100 gram glucose dose. Patients with acromegaly fail to show normal suppression." (Katznelson et al. J Clin Endocrinol Metab, 2014, 99(11):3933-3951).

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Growth Hormone o Minutes	22-308-130467	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

4848